



## APPENDIX 2 - CITY OF WAKEFIELD GOLF COURSE

### Golf Course

Name of facility	City of Wakefield Golf Course
Address	

#### QUALITY RATING

#### QUESTION

6	General Condition	Excellent		Good		Average	x	Poor		Very Poor	
7	Need for capital investment	Minimal		Moderate		Significant	x				
9	Facility Quality										
	<i>Club Room</i>	Excellent		Good	X	Average		Poor		Very Poor	
	<i>Pro Shop</i>	Excellent		Good	X	Average		Poor		Very Poor	
	<i>Course</i>	Excellent		Good	X	Average		Poor		Very Poor	
	<i>Car Park</i>	Excellent		Good	X	Average		Poor		Very Poor	
	<i>Surrounds</i>	Excellent		Good	X	Average		Poor	X	Very Poor	
		Excellent		Good		Average		Poor		Very Poor	
		Excellent		Good		Average		Poor		Very Poor	
		Excellent		Good		Average		Poor		Very Poor	
<b>NB: MUST BE FILLED IN!! TOTAL NUMBER OF FACILITIES RATED</b>											5
10	Disability Access	Full		Partial	x	No					
11	Served by Public Transport	Yes		No	x						
12	Good Natural Presence	Excellent		Good	X	Average		Poor			
13	Well Signposted	Good		Some	X	Poor					
15	Car Parking	Good		Some	X	Poor					
18	Development Potential	Lots		Some	X	No potential					

Key	Rating
>80%	Excellent
60% - 80%	Good
40% - 59%	Average
20%-39%	Poor
<20%	Very Poor

**59%**



## APPENDIX 2 - FACILITY ASSESSMENT - KNOTTINGLEY POOL AND SPORTS CENTRE

### Sports Facility Quality Matrix

Name of facility	Knottingley Sports Centre & Pool
Address	Hill Top, Knottingley, WF11 8EE

#### QUALITY RATING

#### QUESTION

6	General Condition	Excellent		Good		Average		Poor	X	Very Poor	
7	Need for capital investment	Minimal		Moderate		Significant	X				
9	Facility Quality										
	<i>Swimming Pools (x2)</i>	Excellent		Good		Average	x	Poor		Very Poor	
	<i>Sports Hall</i>	Excellent		Good		Average	x	Poor		Very Poor	
	<i>Fitness Room</i>	Excellent		Good		Average		Poor		Very Poor	x
	<i>Studio</i>	Excellent		Good		Average		Poor	x	Very Poor	
	<i>Bar/Social Area</i>	Excellent		Good		Average	x	Poor		Very Poor	
	<i>Changing</i>	Excellent		Good		Average	x	Poor		Very Poor	
	<i>Squash Courts (x2)</i>	Excellent		Good		Average		Poor		Very Poor	
		Excellent		Good		Average		Poor		Very Poor	
<b>NB: MUST BE FILLED IN!! TOTAL NUMBER OF FACILITIES RATED</b>											7
10	Disability Access	Full		Partial	x	No					
11	Served by Public Transport	Yes	x	No							
12	Good Natural Presence	Excellent	x	Good		Average		Poor			
13	Well Signposted	Good		Some		Poor	x				
15	Car Parking	Good		Some	x	Poor					
18	Development Potential	Lots		Some	x	No potential					

Key	Rating
>80%	Excellent
60% - 80%	Good
40% - 59%	Average
20%-39%	Poor
<20%	Very Poor

**40%**

## APPENDIX 2 - FACILITY ASSESSMENT - LIGHT WAVES LEISURE CENTRE

### Sports Facility Quality Matrix

Name of facility	Light Waves Leisure Centre
Address	Lower York Street, Marsh Way, Wakefield, WF1 3LJ

QUALITY RATING

#### QUESTION

6	General Condition	Excellent		Good		Average		Poor	X	Very Poor	
7	Need for capital investment	Minimal		Moderate	X	Significant					
9	Facility Quality										
	<i>Leisure Pool</i>	Excellent		Good		Average	x	Poor		Very Poor	
	<i>Changing Provision - wet/dry</i>	Excellent		Good		Average	x	Poor		Very Poor	
	<i>Squash Courts (x2)</i>	Excellent		Good	x	Average		Poor		Very Poor	
	<i>Fitness Room</i>	Excellent		Good		Average		Poor	x	Very Poor	
	<i>Studio</i>	Excellent		Good		Average	x	Poor		Very Poor	
	<i>Sports Hall</i>	Excellent		Good		Average	x	Poor		Very Poor	
	<i>Sauna Suite</i>	Excellent		Good		Average	x	Poor		Very Poor	
		Excellent		Good		Average		Poor		Very Poor	
<b>NB: MUST BE FILLED IN!! TOTAL NUMBER OF FACILITIES RATED</b>											7
10	Disability Access	Full		Partial	x	No					
11	Served by Public Transport	Yes	x	No							
12	Good Natural Presence	Excellent		Good	x	Average		Poor			
13	Well Signposted	Good		Some		Poor	x				
15	Car Parking	Good		Some		Poor	x				
18	Development Potential	Lots		Some		No potential	x				

Key	Rating
>80%	Excellent
60% - 80%	Good
40% - 59%	Average
20%-39%	Poor
<20%	Very Poor

**50%**







## Facility Quality Matrix

Name of facility	Pugney Water Sports Centre
Address	

### QUALITY RATING

**QUESTION**

6	General Condition	Excellent	x	Good		Average		Poor		Very Poor	
7	Need for capital investment	Minimal	x	Moderate		Significant					
9	Facility Quality										
	<i>Lake Facilities</i>	Excellent	x	Good		Average		Poor		Very Poor	
	<i>Meeting Room</i>	Excellent	X	Good		Average		Poor		Very Poor	
	<i>Changing Provision</i>	Excellent	X	Good		Average		Poor		Very Poor	
	<i>Café Area</i>	Excellent		Good	X	Average		Poor		Very Poor	
	<i>Country Park</i>	Excellent		Good		Average	x	Poor		Very Poor	
		Excellent		Good		Average		Poor		Very Poor	
		Excellent		Good		Average		Poor		Very Poor	
		Excellent		Good		Average		Poor		Very Poor	
	<b>NB: MUST BE FILLED IN!! TOTAL NUMBER OF FACILITIES RATED</b>										5
10	Disability Access	Full		Partial	x	No					
11	Served by Public Transport	Yes		No	x						
12	Good Natural Presence	Excellent	x	Good		Average		Poor			
13	Well Signposted	Good	X	Some		Poor					
15	Car Parking	Good	X	Some		Poor	x				
18	Development Potential	Lots	X	Some		No potential	x				

Key	Rating
>80%	Excellent
60% - 80%	Good
40% - 59%	Average
20%-39%	Poor
<20%	Very Poor

88%

## APPENDIX 2 - FACILITY ASSESSMENT - THORNES ATHLETICS STADIUM

### Sports Facility Quality Matrix

Name of facility	Thornes Athletic Stadium
Address	Horbury Rd, Wakefield, WF2 8TY

#### QUALITY RATING

#### QUESTION

6	General Condition	Excellent		Good	X	Average		Poor		Very Poor	
7	Need for capital investment	Minimal	X	Moderate		Significant					
9	Facility Quality										
	<i>Weights Room</i>	Excellent		Good		Average	x	Poor		Very Poor	
	<i>Fitness Room</i>	Excellent		Good		Average	x	Poor		Very Poor	
	<i>Athletics Track &amp; Field</i>	Excellent	x	Good		Average		Poor		Very Poor	
	<i>Indoor Track/Bowling Studio</i>	Excellent		Good	x	Average		Poor		Very Poor	
	<i>Changing Provision</i>	Excellent	x	Good		Average		Poor		Very Poor	
		Excellent		Good	x	Average		Poor		Very Poor	
		Excellent		Good		Average		Poor		Very Poor	
<b>NB: MUST BE FILLED IN!! TOTAL NUMBER OF FACILITIES RATED</b>											6
10	Disability Access	Full	x	Partial		No					
11	Served by Public Transport	Yes	x	No							
12	Good Natural Presence	Excellent		Good	x	Average		Poor			
13	Well Signposted	Good		Some		Poor	x				
15	Car Parking	Good		Some	x	Poor					
18	Development Potential	Lots		Some	x	No potential					

Key	Rating
>80%	Excellent
60% - 80%	Good
40% - 59%	Average
20%-39%	Poor
<20%	Very Poor

**73%**

## APPENDIX 2 - ASSESSMENT - WHITWOOD GOLF COURSE

### Golf Course Assessment

Name of facility	Whitwood Golf Club
Address	
<b>QUALITY RATING</b>	

#### QUESTION

6	General Condition	Excellent		Good		Average	x	Poor		Very Poor	
7	Need for capital investment	Minimal		Moderate		Significant	x				
9	Facility Quality										
	<i>Club Room</i>	Excellent		Good		Average	X	Poor		Very Poor	
	<i>Pro Shop</i>	Excellent		Good		Average	X	Poor		Very Poor	
	<i>Course</i>	Excellent		Good		Average	X	Poor		Very Poor	
	<i>Car Park</i>	Excellent		Good	X	Average		Poor		Very Poor	
	<i>Surrounds</i>	Excellent		Good		Average		Poor	X	Very Poor	
		Excellent		Good		Average		Poor		Very Poor	
		Excellent		Good		Average		Poor		Very Poor	
		Excellent		Good		Average		Poor		Very Poor	
<b>NB: MUST BE FILLED IN!! TOTAL NUMBER OF FACILITIES RATED</b>											5
10	Disability Access	Full		Partial	x	No					
11	Served by Public Transport	Yes		No	x						
12	Good Natural Presence	Excellent		Good		Average	X	Poor			
13	Well Signposted	Good		Some		Poor	X				
15	Car Parking	Good		Some	X	Poor	x				
18	Development Potential	Lots		Some	X	No potential	x				

Key	Rating
>80%	Excellent
60% - 80%	Good
40% - 59%	Average
20%-39%	Poor
<20%	Very Poor

**39%**